ELSEVIER

Journal of Alloys and Compounds 307 (2000) 339

Journal of ALLOYS AND COMPOUNDS

www.elsevier.com/locate/jallcom

Author Index of Volume 307

Abe, H., 25
Akiba, E., 304
Almeida, M., 40
Andreev, A.V., 77
Armbrüster, M., 141
Ashida, T., 96

Babu, P., 82
Balema, V.P., 184
Bara, J.J., 17, 45
Basu, S., 272
Belyaev, E.Yu., 131
Bereznitsky, M., 333
Bloch, J., 333
Bobet, J.-L., 283
Bodak, O., 215
Bogacz, B.F., 17, 45
Boily, S., 226
Bouaricha, S., 226
Braun, T.P., 111
Bros, H., 167
Brück, E., 51
Burns, P.C., 149
Buschow, K.H.J., 51

Cardoso, R., 127
Castanet, R., 167, 191
Cavicchioli, M., 179
Chakhmouradian, A.R., 149
Chaoqun, W., 240
Chen, J., L1, 245
Chen, X.L., 212
Chen, Y., 137
Chen, Y., 212
Chevalier, B., 283
Chiang, C.-H., 259
Chin, Z.-H., 259
Cho, S.-W., 304
Christodoulou, Ch., 234
Chumak, I.V., 223
Chykhrij, S.I., 124
Corbi, P.P., 179

Darriet, B., 283
Davlitova, L.S., 131
de Boer, F.R., 51
Demchenko, P., 215
Diaz Aguila, C., 179
DiSalvo, F.J., 111
Dmytriv, G.S., 223
Dobiášová, L., 77
Dodelet, J.P., 226

Endo, S., 96
Enoki, H., 304
Eto, T., 96

Feng, X., 245
Figiel, H., 297
Fruchart, D., 311
Fujita, A., 56
Fukai, Y., L1
Fukamichi, K., 56

Gjoka, M., 234
Godart, C., 31, 40
Golubkova, G.V., 131
Guangyong, H., 240
Guay, D., 226
Gubbens, P.C.M., 70
Gumeniuk, R.V., 218
Guoxun, L., 240
Gutiérrez, D., 127

Harimoto, D., L1
Harker, S.J., 70
Hirota, Y., 324
Homma, Y., 77
Huaiying, Z., 199
Huang, F., 212
Huang, M., 202
Huot, J., 226

Imoto, T., 324
Ise, T., 324
Ishizuka, M., 96

Jacob, I., 333
Jayasankar, C.K., 82
Jeong, Y.H., 318
Jialin, Y., 199
Jianlie, L., 199
Jianshe, X., 240
Jinli, H., 199
Jun, D., 240
Jurczyk, M., 279, 290

Kaczmarek, W.A., 249
Kalogirou, O., 234
Kanomata, T., 96
Karar, N., 272
Khrussanova, M., 283
Kikegawa, T., 96
Kim, S.J., 318
Kitamura, N., L1
Kjekshus, A., 167, 174
Klaasse, J.C.P., 51
Klosek, V., 207
Krishnan, K., 114
Krupa, J.C., 61
Kuriyama, N., L1
Kurosaki, K., 1, 10
Kuz'ma, Yu.B., 218

Lai, L.-C., 266
Lai, M.O., 249
Lee, C.-L., 266
Lee, K.J., 318
Li, J.R., 137
Li, Z., 202
Liang, J.K., 212
Lidin, S., 141
Lin, Q., 245
Liszkowski, P., 297
Liu, H., 137
Liu, Q.D., 137
Liu, Q.L., 212
Liu, Z.Y., 51
Llanos, J., 127
Lomovsky, O.I., 131
Lu, L., 249

Malakhov, V.V., 131
Malaman, B., 207
Massabni, A.C., 179
Melnikov, P., 179
Mintz, M.H., 333
Miraglia, S., 311
Mitchell, R.H., 149
Morozkin, A.V., 207
Mudher, K.D.S., 114
Mujica, C., 127
Murata, T., 324

Nagai, H., L1
Nakahori, S., 324
Nakamura, A., 25
Nan, J.J., 212
Niarchos, D., 234
Niu, Y., 254
Noël, H., 40
Nogami, M., 324

Offernes, L., 174
Oh, Y.M., 318
Ohta, M., 56

Papaefthymiou, V., 234
Parasyuk, O.V., 124
Pavlyuk, V.V., 223
Pecharsky, A.O., 184
Pecharsky, V.K., 184
Pędziwiatr, A.T., 17, 45
Perng, T.-P., 259, 266
Peshev, P., 283
Piskach, L.V., 124
Potel, M., 40
Psycharis, V., 234

Radev, D., 283
Rafaja, D., 77
Rajewski, W., 290
Rao, G.H., 212

Sainkar, S.R., 272
Sakai, T., L1
Salamakha, P.S., 31, 40
Schulz, R., 226
Sechovský, V., 77
Shi, Y., 202
Shiokawa, Y., 77
Sologub, O.L., 31, 40
Stel'makhovych, B.M., 218
Stępień-Damm, J., 223
Stewart, G.A., 70
Stöwe, K., 101
Ström-Olsen, J.O., 157
Su, X., 202
Sysa, L.V., 124
Szajek, A., 290

Takeshita, H.T., L1
Tanaka, H., L1
Tavares, S.S.M., 311
Tegusi, O., 51
Terzieva, M., 283
Torgersen, A.N., 167, 174
Turek, K., 297

Uno, M., 1, 10

Venugopal, V., 114
Vernière, A., 207
Vlasov, A.A., 131

Wang, C.L., 254
Wang, X.G., 137
Welter, R., 207
Wielgosz, R., 45
Wu, W.T., 254

Xia, S., 61

Yamada, K., 1, 10
Yamagishi, M., 96
Yamanaka, S., 1, 10
Yaoqin, H., 240
Yassin, A., 191
Yin, F., 202
Yinghong, Z., 199
Yoshii, K., 25, 119

Zach, R., 96
Zacharias, M.A., 179
Zaluska, A., 157
Zaluski, L., 157
Zhang, F., 249
Zhang, L., 51
Zhang, P., 202
Zhang, Y.J., 137
Zhao, Y., 254
Zhao, Z.L., 254

Elsevier Science S.A.
PII: S0925-8388(00)01097-5

ELSEVIER

Journal of Alloys and Compounds 307 (2000) 341–345

Journal of ALLOYS AND COMPOUNDS

www.elsevier.com/locate/jallcom

Subject Index of Volume 307

Actinide dioxides
calculated variation trends across the actinide dioxide series: electronic structure and charge transfer transitions 61
Ag
enthalpies of dissolution of elements in liquid tin 191
Ag–Ni alloys
synthesis and characteristics of consolidated nanocrystalline two-phase $Ag_{50}Ni_{50}$ alloy by hot pressing 254
Ag–Pr system
on thermodynamic assessment of the Ag–Pr system 202
Al–Ho–Ti alloys
phase relationships in the Al–Ti–Ho system at 773 K 199
Amorphous materials
preparation and hydrogenation of multicomponent AB_2-type Zr–Mn–V–Co–Ni amorphous alloy 266
the electronic and electrochemical properties of the $LaNi_5$, $LaNi_4Al$ and $LaNi_3AlCo$ systems 290
Amorphous phases
studies of X-ray amorphous phase in mechanochemical synthesis of iron silicides from elements 131
Antiphase domains
the A-site deficient ordered perovskite $Th_{0.25}\square_{0.75}NbO_3$: a re-investigation 149
Au
enthalpies of dissolution of elements in liquid tin 191
AuMnSn phase
the ternary system Au–Mn–Sn 174
Au–Mn–Sn system
the ternary system Au–Mn–Sn 174

Ball milling
effect of carbon-containing compounds on the hydriding behavior of nanocrystalline Mg_2Ni 226
Bredig transition
evaluation of thermal properties of mixed oxide fuel by molecular dynamics 1
evaluation of thermal properties of uranium dioxide by molecular dynamics 10

Carbide
magnetic properties of interstitial modified $Pr_3(Fe,Ti)_{29}$ hydrocarbide 234
Cation ordering
the A-site deficient ordered perovskite $Th_{0.25}\square_{0.75}NbO_3$: a re-investigation 149
Cerium based ternary intermetallics
formation, crystal structure and magnetism of ternary compounds Ce_5MGe_2 (M=Co, Ni, Ru, Rh, Pd, Ir, Pt) 31
Cerium ditelluride
crystal structure and magnetic properties of $CeTe_2$ 101
Charge transfer
calculated variation trends across the actinide dioxide series: electronic structure and charge transfer transitions 61
Composite materials
hydrogen storage characteristics of magnesium mechanically alloyed with $YNi_{5-x}Al_x$ (x=0, 1 and 3) intermetallics 283
Crystal and ligand fields
magnetic order and crystal fields in the *Pnma* phases of Tm_2BaTO_5 (T=Co and Ni) 70
Crystal growth
vertical Bridgman growth and morphology study of $Ga_{1-x}Fe_xSb$, a new diluted magnetic semiconductor 272
Crystal structure
formation, crystal structure and magnetism of ternary compounds Ce_5MGe_2 (M=Co, Ni, Ru, Rh, Pd, Ir, Pt) 31
new structure type of ternary intermetallic borides $CePt_2B$ 40
hyperfine interactions and crystal site occupancies in $RTiFe_{11-x}Co_x$ (R=Y, Dy and Er) as seen by Mössbauer spectroscopy 45
pressure-induced structural transition in intermetallic compounds MnRhP and MnRhAs 96
structural and thermal studies on $PuTe_2O_6$ 114
single crystal refinements of TbTiGe, GdTiGe and $TbTi_{0.85}Mo_{0.15}Ge$ with CeFeSi- and CeScSi-type structures 207
crystal structure of the NdZnSi, $NdZn_{0.3}Si_{1.7}$ and NdZnSn ternary compounds 215
compounds $Dy_3Ag_{2.3}Al_{8.7}$, $Ho_3Ag_{2.1}Al_{8.9}$, $Dy_3Cu_{2.6}Al_{8.4}$ and $Ho_3Cu_{2.4}Al_{8.6}$ as new representatives of the La_3Al_{11}-type structure 218
phase equilibria and crystal structure of compounds in the Fe–Zn–Sb system at 570 K 223
the structure of a PWO:La^{3+} crystal 245
hydrogen storage characteristics of magnesium mechanically alloyed with $YNi_{5-x}Al_x$ (x=0, 1 and 3) intermetallics 283
Cu
enthalpies of dissolution of elements in liquid tin 191

Diffusion
the influence of decrepitation on the diffusion kinetics of hydrogen in Nd–Fe–B 297
Dissolution
enthalpies of dissolution of elements in liquid tin 191
Drop calorimetry
enthalpy of formation for CoGe, CoSn, $Ni_{3.14}Sn_4$, $Ni_{3.50}Sn_4$, $AuCo_{1.66}Sn_4$, $AuNi_2Sn_4$ and $Au_{1.17}Pt_{1.82}Sn_4$ 167

Electrochemical reaction
the surface structure and the electrochemical properties of hydrogen-absorbing alloys treated with an HCl aqueous solution 324
Electrode materials
the surface structure and the electrochemical properties of hydrogen-absorbing alloys treated with an HCl aqueous solution 324
Electronic band structure
the electronic and electrochemical properties of the $LaNi_5$, $LaNi_4Al$ and $LaNi_3AlCo$ systems 290

Elsevier Science S.A.
PII: S0925-8388(00)01098-7

Electronic structure
calculated variation trends across the actinide dioxide series: electronic structure and charge transfer transitions 61
Energy storage materials
a high pressure observation of the Mg_2NiH_4–H system L1
lithium–beryllium hydrides: the lightest reversible metal hydrides 157
hydrogen storage characteristics of magnesium mechanically alloyed with $YNi_{5-x}Al_x$ (x=0, 1 and 3) intermetallics 283
effect of Fe addition on hydrogen storage characteristics of $Ti_{0.16}Zr_{0.05}Cr_{0.22}V_{0.57}$ alloy 304
the surface structure and the electrochemical properties of hydrogen-absorbing alloys treated with an HCl aqueous solution 324
Enthalpy of formation
on thermodynamic assessment of the Ag–Pr system 202
Enthalpy of formation: gold alloys, cobalt alloys, nickel alloys, platinum alloys, germanium alloys, tin alloys
enthalpy of formation for CoGe, CoSn, $Ni_{3.14}Sn_4$, $Ni_{3.50}Sn_4$, $AuCo_{1.66}Sn_4$, $AuNi_2Sn_4$ and $Au_{1.17}Pt_{1.82}Sn_4$ 167
Europium oxide
synthesis and crystal structure of Eu_2ReO_5, a complex oxide with Re–Re pairs in a tetragonal antiprismatic coordination 127

Field distributions in $(Er_{1-x}Sm_x)_2Fe_{14}B$
distributions of the hyperfine interaction parameters in $(Er_{1-x}Sm_x)_2Fe_{14}B$ as seen by Mössbauer spectroscopy 17
Finite difference method
the influence of decrepitation on the diffusion kinetics of hydrogen in Nd–Fe–B 297
Fullerene
effect of carbon-containing compounds on the hydriding behavior of nanocrystalline Mg_2Ni 226

Gas solid reaction
effect of Fe addition on hydrogen storage characteristics of $Ti_{0.16}Zr_{0.05}Cr_{0.22}V_{0.57}$ alloy 304
Grain boundaries
vertical Bridgman growth and morphology study of $Ga_{1-x}Fe_xSb$, a new diluted magnetic semiconductor 272

High pressure
pressure-induced structural transition in intermetallic compounds MnRhP and MnRhAs 96
a high pressure observation of the Mg_2NiH_4–H system L1
Hot pressing
synthesis and characteristics of consolidated nanocrystalline two-phase $Ag_{50}Ni_{50}$ alloy by hot pressing 254
Hydride
magnetic properties of interstitial modified $Pr_3(Fe,Ti)_{29}$ hydrocarbide 234
Hydride formation
variation of hydriding kinetic properties in massive samples of the $LaAl_xNi_{5-x}$ system as a function of the Al content 333
Hydrogen absorption
preparation and hydrogenation of multicomponent AB_2-type Zr–Mn–V–Co–Ni amorphous alloy 266
Hydrogen decrepitation
the influence of decrepitation on the diffusion kinetics of hydrogen in Nd–Fe–B 297
Hydrogen storage
concerning the transformations of Ti_3Ir alloy during high-energy ball-milling 184
effect of carbon-containing compounds on the hydriding behavior of nanocrystalline Mg_2Ni 226
Hydrogen storage alloy
electrochemical characteristics of Al-substituted Mg_2Ni As negative electrode 240
Hydrogen storage materials
a high pressure observation of the Mg_2NiH_4–H system L1
hydrogenation of TiFe by high-energy ball milling 259
hydrogen storage properties of amorphous and nanocrystalline $MmNi_{4.2}Al_{0.8}$ alloys 279
hydrogen storage characteristics of magnesium mechanically alloyed with $YNi_{5-x}Al_x$ (x=0, 1 and 3) intermetallics 283
the electronic and electrochemical properties of the $LaNi_5$, $LaNi_4Al$ and $LaNi_3AlCo$ systems 290
effect of Fe addition on hydrogen storage characteristics of $Ti_{0.16}Zr_{0.05}Cr_{0.22}V_{0.57}$ alloy 304
the surface structure and the electrochemical properties of hydrogen-absorbing alloys treated with an HCl aqueous solution 324
Hyperfine interactions in $(Er_{1-x}Sm_x)_2Fe_{14}B$
distributions of the hyperfine interaction parameters in $(Er_{1-x}Sm_x)_2Fe_{14}B$ as seen by Mössbauer spectroscopy 17

Insulators
magnetic behaviors of $Pr_{1-x}Nd_xTiO_3$ ($0 \le x \le 1$) 25
magnetic order and crystal fields in the *Pnma* phases of Tm_2BaTO_5 (T=Co and Ni) 70
structural and magnetic properties of the perovskites $Sr_{n+1}(Co_{0.5}Nb_{0.5})_nO_{3n+1}$ (n=∞, 2 and 1) 119
Intermetallic compounds
crystal structure of $Tm_2Ni_{12}P_7$ 111
concerning the transformations of Ti_3Ir alloy during high-energy ball-milling 184
phase equilibria and crystal structure of compounds in the Fe–Zn–Sb system at 570 K 223
magnetic properties of interstitial modified $Pr_3(Fe,Ti)_{29}$ hydrocarbide 234
Intermetallics
reassessing the compound $CeCd_6$: the structure of Ce_6Cd_{37} 141
Interstitial alloys
hyperfine interactions and crystal site occupancies in $RTiFe_{11-x}Co_x$ (R=Y, Dy and Er) as seen by Mössbauer spectroscopy 45
hydrogenation of TiFe by high-energy ball milling 259
preparation and hydrogenation of multicomponent AB_2-type Zr–Mn–V–Co–Ni amorphous alloy 266
effect of Fe addition on hydrogen storage characteristics of $Ti_{0.16}Zr_{0.05}Cr_{0.22}V_{0.57}$ alloy 304
Iron disilicide
studies of X-ray amorphous phase in mechanochemical synthesis of iron silicides from elements 131
Isothermal section
phase relationships in the Al–Ti–Ho system at 773 K 199

Kinetics
the influence of decrepitation on the diffusion kinetics of hydrogen in Nd–Fe–B 297
variation of hydriding kinetic properties in massive samples of the $LaAl_xNi_{5-x}$ system as a function of the Al content 333

$LaAl_xNi_{5-x}$
variation of hydriding kinetic properties in massive samples of the $LaAl_xNi_{5-x}$ system as a function of the Al content 333
Lanthanoid chalcogenides
crystal structure and magnetic properties of $CeTe_2$ 101
Lattice parameters
crystal structure of the $Cu_2CdSn_3S_8$ compound 124
Leaching
effect of carbon-containing compounds on the hydriding behavior of nanocrystalline Mg_2Ni 226
Lifetimes
optical properties of Sm^{3+} ions in lithium borate and lithium fluoroborate glasses 82

Limited solubility of third component
the ternary system Au–Mn–Sn 174
Liquid–solid reaction
formation of titanium nitrides via wet reaction ball milling 249
Lithium borate glasses
optical properties of Sm^{3+} ions in lithium borate and lithium fluoroborate glasses 82
Luminescence
synthesis, characterization and luminescent properties of terbium and europium complexes with ligands from DTPA and pAS 137

Mössbauer effect
distributions of the hyperfine interaction parameters in $(Er_{1-x}Sm_x)_2Fe_{14}B$ as seen by Mössbauer spectroscopy 17
Mössbauer spectroscopy
hyperfine interactions and crystal site occupancies in $RTiFe_{11-x}Co_x$ (R=Y, Dy and Er) as seen by Mössbauer spectroscopy 45
Magnetically ordered materials
magnetic anisotropy evolution of $(Ce,Y)_2Co_{17}$ compounds 51
spin–glass transition in annealed $Y_6(Mn_{1-x}Fe_x)_{23}$ compounds 56
Magnetic anisotropy
magnetic properties of interstitial modified $Pr_3(Fe,Ti)_{29}$ hydrocarbide 234
Magnetic measurements
magnetic behaviors of $Pr_{1-x}Nd_xTiO_3$ ($0 \le x \le 1$) 25
structural and magnetic properties of the perovskites $Sr_{n+1}(Co_{0.5}Nb_{0.5})_nO_{3n+1}$ ($n=\infty$, 2 and 1) 119
Magnetic phase transition
magnetic anisotropy evolution of $(Ce,Y)_2Co_{17}$ compounds 51
Magnetic susceptibility measurements
crystal structure and magnetic properties of $CeTe_2$ 101
Magnetisation
magnetic order and crystal fields in the *Pnma* phases of Tm_2BaTO_5 (T=Co and Ni) 70
Magnetism
formation, crystal structure and magnetism of ternary compounds Ce_5MGe_2 (M=Co, Ni, Ru, Rh, Pd, Ir, Pt) 31
Magnetization
magnetic behaviors of $Pr_{1-x}Nd_xTiO_3$ ($0 \le x \le 1$) 25
new structure type of ternary intermetallic borides $CePt_2B$ 40
structural and magnetic properties of the perovskites $Sr_{n+1}(Co_{0.5}Nb_{0.5})_nO_{3n+1}$ ($n=\infty$, 2 and 1) 119
Martensite
a magnetic study of the reversion of martensite α′ in a 304 stainless steel 311
effect of various alloying elements on the martensitic transformation in Zr–0.8 Sn alloy 318
Mechanical alloying
concerning the transformations of Ti_3Ir alloy during high-energy ball-milling 184
synthesis and characteristics of consolidated nanocrystalline two-phase $Ag_{50}Ni_{50}$ alloy by hot pressing 254
hydrogenation of TiFe by high-energy ball milling 259
hydrogen storage properties of amorphous and nanocrystalline $MmNi_{4.2}Al_{0.8}$ alloys 279
the electronic and electrochemical properties of the $LaNi_5$, $LaNi_4Al$ and $LaNi_3AlCo$ systems 290
Mechanical grinding
electrochemical characteristics of Al-substituted Mg_2Ni As negative electrode 240
Mechanochemistry
studies of X-ray amorphous phase in mechanochemical synthesis of iron silicides from elements 131
Metal hydrides
effect of carbon-containing compounds on the hydriding behavior of nanocrystalline Mg_2Ni 226
Metamagnetism
onset of ferromagnetism in the 5*f*-band metamagnet UCoAl upon partial dilution of the U sublattice 77
Mg_2Ni
electrochemical characteristics of Al-substituted Mg_2Ni As negative electrode 240
Molecular dynamics
evaluation of thermal properties of mixed oxide fuel by molecular dynamics 1
evaluation of thermal properties of uranium dioxide by molecular dynamics 10
MOX
evaluation of thermal properties of mixed oxide fuel by molecular dynamics 1

Nanocrystalline
synthesis and characteristics of consolidated nanocrystalline two-phase $Ag_{50}Ni_{50}$ alloy by hot pressing 254
Nanocrystalline materials
effect of carbon-containing compounds on the hydriding behavior of nanocrystalline Mg_2Ni 226
the electronic and electrochemical properties of the $LaNi_5$, $LaNi_4Al$ and $LaNi_3AlCo$ systems 290
Nanostructures
hydrogen storage properties of amorphous and nanocrystalline $MmNi_{4.2}Al_{0.8}$ alloys 279
NdFeB alloys
the influence of decrepitation on the diffusion kinetics of hydrogen in Nd–Fe–B 297
Ni–MH battery
electrochemical characteristics of Al-substituted Mg_2Ni As negative electrode 240
Nitride materials
formation of titanium nitrides via wet reaction ball milling 249

Optical materials
the structure of a PWO:La^{3+} crystal 245
Optical properties
optical properties of Sm^{3+} ions in lithium borate and lithium fluoroborate glasses 82

Partial enthalpy
enthalpies of dissolution of elements in liquid tin 191
Permanent magnetic materials
hyperfine interactions and crystal site occupancies in $RTiFe_{11-x}Co_x$ (R=Y, Dy and Er) as seen by Mössbauer spectroscopy 45
Perovskite
the A-site deficient ordered perovskite $Th_{0.25}\square_{0.75}NbO_3$: a re-investigation 149
Phase diagram
the ternary system Au–Mn–Sn 174
phase relationships in the Al–Ti–Ho system at 773 K 199
subsolidus phase relations in the Co-rich region of the La–Co–Ti system 212
Phase equilibria
phase equilibria and crystal structure of compounds in the Fe–Zn–Sb system at 570 K 223
Phase transformation
a magnetic study of the reversion of martensite α′ in a 304 stainless steel 311
effect of various alloying elements on the martensitic transformation in Zr–0.8 Sn alloy 318
Phase transformations
concerning the transformations of Ti_3Ir alloy during high-energy ball-milling 184
Phase transition
pressure-induced structural transition in intermetallic compounds MnRhP and MnRhAs 96

$PuTe_2O_6$
structural and thermal studies on $PuTe_2O_6$ 114

Quaternary compound
crystal structure of the $Cu_2CdSn_3S_8$ compound 124

Rare earth alloys
subsolidus phase relations in the Co-rich region of the La–Co–Ti system 212
Rare earth compounds
new structure type of ternary intermetallic borides $CePt_2B$ 40
hyperfine interactions and crystal site occupancies in $RTiFe_{11-x}Co_x$ (R=Y, Dy and Er) as seen by Mössbauer spectroscopy 45
magnetic anisotropy evolution of $(Ce,Y)_2Co_{17}$ compounds 51
spin–glass transition in annealed $Y_6(Mn_{1-x}Fe_x)_{23}$ compounds 56
single crystal refinements of TbTiGe, GdTiGe and $TbTi_{0.85}Mo_{0.15}Ge$ with CeFeSi- and CeScSi-type structures 207
subsolidus phase relations in the Co-rich region of the La–Co–Ti system 212
crystal structure of the NdZnSi, $NdZn_{0.3}Si_{1.7}$ and NdZnSn ternary compounds 215
compounds $Dy_3Ag_{2.3}Al_{8.7}$, $Ho_3Ag_{2.1}Al_{8.9}$, $Dy_3Cu_{2.6}Al_{8.4}$ and $Ho_3Cu_{2.4}Al_{8.6}$ as new representatives of the La_3Al_{11}-type structure 218
hydrogen storage properties of amorphous and nanocrystalline $MmNi_{4.2}Al_{0.8}$ alloys 279
hydrogen storage characteristics of magnesium mechanically alloyed with $YNi_{5-x}Al_x$ (x=0, 1 and 3) intermetallics 283
Rare earth metals
enthalpies of dissolution of elements in liquid tin 191
Relativistic spin-polarised calculation
calculated variation trends across the actinide dioxide series: electronic structure and charge transfer transitions 61
Re–Re pairs
synthesis and crystal structure of Eu_2ReO_5, a complex oxide with Re–Re pairs in a tetragonal antiprismatic coordination 127
Rhenium
synthesis and crystal structure of Eu_2ReO_5, a complex oxide with Re–Re pairs in a tetragonal antiprismatic coordination 127
Rhodostannite
crystal structure of the $Cu_2CdSn_3S_8$ compound 124

Scanning electron microscopy
vertical Bridgman growth and morphology study of $Ga_{1-x}Fe_xSb$, a new diluted magnetic semiconductor 272
Semiconductors
vertical Bridgman growth and morphology study of $Ga_{1-x}Fe_xSb$, a new diluted magnetic semiconductor 272
Sm^{3+}
optical properties of Sm^{3+} ions in lithium borate and lithium fluoroborate glasses 82
Sn
enthalpies of dissolution of elements in liquid tin 191
Specific heat
evaluation of thermal properties of mixed oxide fuel by molecular dynamics 1
Spin–glasses
spin–glass transition in annealed $Y_6(Mn_{1-x}Fe_x)_{23}$ compounds 56
Stainless steel
a magnetic study of the reversion of martensite α′ in a 304 stainless steel 311
Structural chemistry
crystal structure of $Tm_2Ni_{12}P_7$ 111
Structure
the A-site deficient ordered perovskite $Th_{0.25}\square_{0.75}NbO_3$: a re-investigation 149
Superconductivity
concerning the transformations of Ti_3Ir alloy during high-energy ball-milling 184

Ternary intermetallic phase
the ternary system Au–Mn–Sn 174
Tetragonal antiprismatic configuration
synthesis and crystal structure of Eu_2ReO_5, a complex oxide with Re–Re pairs in a tetragonal antiprismatic coordination 127
Thermal analysis
lithium–beryllium hydrides: the lightest reversible metal hydrides 157
formation of titanium nitrides via wet reaction ball milling 249
Thermal conductivity
evaluation of thermal properties of mixed oxide fuel by molecular dynamics 1
evaluation of thermal properties of uranium dioxide by molecular dynamics 10
THERMO-CALC
on thermodynamic assessment of the Ag–Pr system 202
Thermochemistry
structural and thermal studies on $PuTe_2O_6$ 114
Thermodynamic assessment
on thermodynamic assessment of the Ag–Pr system 202
Thermomagnetic analysis
a magnetic study of the reversion of martensite α′ in a 304 stainless steel 311
Thulium compounds
crystal structure of $Tm_2Ni_{12}P_7$ 111
$Th_{0.25}\square_{0.75}NbO_3$
the A-site deficient ordered perovskite $Th_{0.25}\square_{0.75}NbO_3$: a re-investigation 149
Transition metal compounds
magnetic anisotropy evolution of $(Ce,Y)_2Co_{17}$ compounds 51
spin–glass transition in annealed $Y_6(Mn_{1-x}Fe_x)_{23}$ compounds 56
pressure-induced structural transition in intermetallic compounds MnRhP and MnRhAs 96
single crystal refinements of TbTiGe, GdTiGe and $TbTi_{0.85}Mo_{0.15}Ge$ with CeFeSi- and CeScSi-type structures 207
hydrogenation of TiFe by high-energy ball milling 259
preparation and hydrogenation of multicomponent AB_2-type Zr–Mn–V–Co–Ni amorphous alloy 266
effect of Fe addition on hydrogen storage characteristics of $Ti_{0.16}Zr_{0.05}Cr_{0.22}V_{0.57}$ alloy 304
Twinning
crystal structure of $Tm_2Ni_{12}P_7$ 111
Two-phase alloy
synthesis and characteristics of consolidated nanocrystalline two-phase $Ag_{50}Ni_{50}$ alloy by hot pressing 254

UCoAl
onset of ferromagnetism in the 5*f*-band metamagnet UCoAl upon partial dilution of the U sublattice 77
UO_2
evaluation of thermal properties of uranium dioxide by molecular dynamics 10
Uranium intermetallics
onset of ferromagnetism in the 5*f*-band metamagnet UCoAl upon partial dilution of the U sublattice 77

X-ray and γ-ray spectroscopies
magnetic order and crystal fields in the *Pnma* phases of Tm_2BaTO_5 (T=Co and Ni) 70

X-ray diffraction
new structure type of ternary intermetallic borides $CePt_2B$ 40
pressure-induced structural transition in intermetallic compounds MnRhP and MnRhAs 96
a high pressure observation of the Mg_2NiH_4–H system L1
structural and magnetic properties of the perovskites $Sr_{n+1}(Co_{0.5}Nb_{0.5})_nO_{3n+1}$ ($n=\infty$, 2 and 1) 119
reassessing the compound $CeCd_6$: the structure of Ce_6Cd_{37} 141
iron(II) djenkolate: synthesis and properties 179
phase relationships in the Al–Ti–Ho system at 773 K 199
single crystal refinements of TbTiGe, GdTiGe and $TbTi_{0.85}Mo_{0.15}Ge$ with CeFeSi- and CeScSi-type structures 207
subsolidus phase relations in the Co-rich region of the La–Co–Ti system 212
crystal structure of the NdZnSi, $NdZn_{0.3}Si_{1.7}$ and NdZnSn ternary compounds 215
compounds $Dy_3Ag_{2.3}Al_{8.7}$, $Ho_3Ag_{2.1}Al_{8.9}$, $Dy_3Cu_{2.6}Al_{8.4}$ and $Ho_3Cu_{2.4}Al_{8.6}$ as new representatives of the La_3Al_{11}-type structure 218
the structure of a PWO:La^{3+} crystal 245
formation of titanium nitrides via wet reaction ball milling 249
X-ray diffraction single-crystal structure analysis
crystal structure and magnetic properties of $CeTe_2$ 101
X-ray powder method
crystal structure of the $Cu_2CdSn_3S_8$ compound 124

Zirconium
effect of various alloying elements on the martensitic transformation in Zr–0.8 Sn alloy 318
$Zr_2Fe_{12}P_7$ structure type
crystal structure of $Tm_2Ni_{12}P_7$ 111